

**Maharashtra University of Health Sciences, Nashik**  
**Inspection Committee Report for Academic Year 2026-2027**

**Clinical Material in Hospital**

**Name of College/Institute:** Smt. K. N. Patel College of Nursing, Bhandara  
**Faculty:** Nursing

**HOSPITAL DETAILS**

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) <b>To be made available on web site</b>	Yes	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: <b>Copy to be made available on web site</b>	Yes	Adequate
b.	Student Bed Ratio for UG to be verified: (As per MSR) Calculate at Actual	Yes	Adequate
c.	Average Bed Occupancy in % (Minimum 75%)	Yes	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	-----	-----
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (i) Average Number of abnormal Delivery (Current year)	Yes 45 2600 41 35	Adequate
<ul style="list-style-type: none"> <li>• As per Central Council Norms/ University Norms, above Infrastructure must be available at College.</li> <li>• If Infrastructure is available, then mark "Adequate" &amp; do not attach any Documents it should be available on college website</li> <li>• In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report</li> </ul>			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief  
Any Other, Please Specify:-

Date:-



  
PRINCIPAL  
SMT. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA

Dean/ Principal Stamp & Signature

Chairman of LIC

Member Of LIC

Member Of LIC





महाराष्ट्र MAHARASHTRA

2024

39AB 43562

के. एन. पटेल कॉलेज ऑफ नर्सिंग भंडारा म. प्र. दि. 10.6.2024

श्री. ह. म. गोस्वामी  
मुद्रांक विक्रेता  
परवाना क्र. 4/69-90  
मुद्रांकाचा उपयोग

क्रमांक... 444  
किंमत... 2191  
दिनांक... 10.6.2024

अमे. 11

विक्रय कोषागार पर. क्र. 10/10/2024  
पुस्तक क्र. 10/10/2024  
10 JUN 2024  
पदनाम  
मुद्रांक विक्रेता



Memorandum of Understanding  
(Parent Hospital)

I, Dr. Shamrao A. Nakade, Director and Owner of Nakade Hospital, Bhandara, a healthcare facility with a capacity of 100 beds, do hereby declare the following:

I am an active member of Late Girishbhai Dayabhai Bhavsar Bahu-Uddheshiya Sanstha, Bhandara, a registered charitable trust/society that manages Smt. K. N. Patel College of Nursing, located in Bhandara, which currently offers GNM/B.Sc. Nursing programs.

*Alcees*  
PRINCIPAL  
SMT. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA.

Through this Memorandum of Understanding, I formally undertake that **Nakade Hospital** shall continue to serve as the *Parent Hospital* for **Smt. K. N. Patel College of Nursing** for the entire duration of the institution's existence, or for a minimum period of 30 years, whichever is longer.

Furthermore, I affirm that **Nakade Hospital** shall not enter into any agreement or affiliation to serve as a parent or affiliated hospital for any other nursing institution during this period.


Place: Bhandara

Date 07/07/2025



(Dr. Shafrao A. Nakade)

**Dr. S. A. Nakade**  
Chairman  
Nakade Hospital, Bhandara.



Deponent shall be responsible for the deficit Stamp duty



BEFORE ME  
  
ADV. M.K. BANDEBUCKE  
NOTARY P.N. 963  
BHANDARA (M.S.) 443904

NOTARIAL BOOK  
ENTRY NO. 2364  
DATE 07.07.2025

  
PRINCIPAL  
SMT. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA.



महाराष्ट्र शासन  
आरोग्य सेवा  
जिल्हा शल्य चिकित्सक  
जिल्हा रुग्णालय भंडारा

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949  
(नियम ५ अन्वये) (Under Rule 5)

जा.क्र./जिरुभं/बॉनरअ/नोप्र/ ४७ /२०२४  
जिल्हा शल्यचिकित्सक कार्यालय, भंडारा  
दिनांक :- 01 JAN 2025


This is to certify that **Dr. Shamrao Antaram Nakade**, Director has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of **Nakade Hospital**, Situated at **Behind Honda Showroom, Shikshak Colony, Bhandara** and has been authorized to carry on the said Nursing Home.


रजिस्ट्रेशन क्र. :- DHB/BNHA/033/14	प्रसुतिसाठी	कॉट्स ३०
Registration No :- DHB/BNHA/033/14	Maternity	Cots 30
रजिस्ट्रेशन दि. :- १३/०८/२०१४	इतर रुग्णांसाठी	कॉट्स ७०
Date of Registration:- 13/08/2014	Other Nursing Patients	Cots 70
Date of Renewal:-05/04/2023		Total Cots 100

Date of issue of Certificate 05 April 2023

This Certificate shall be valid up to 31<sup>st</sup> March 2026

ठिकाण :- भंडारा  
Place :- Bhandara



  
जिल्हा शल्य चिकित्सक  
जिल्हा रुग्णालय भंडारा  
Civil Surgeon

General Hospital Bhandara

टिप : नाकाडे हॉस्पिटल भंडारा यांचे दि. ३०.१०.२०२४ च्या विनंती अर्जानुसार ३० खाटांवरून वाढीव १०० खाटांचे प्रमाणपत्राकरीता बॉम्बे नर्सिंग होम अॅक्ट १९४९ च्या अटी व शर्तीनुसार व दि. १६.१२.२०२४ च्या आपले रुग्णालयाचे तपासणी अहवालानुसार कागदपत्रांची पूर्तता दोन महिन्यात करावी अन्यथा दिलेल्या ७० वाढीव खाटांचा प्रस्ताव रद्द करण्यात येईल.

E/: Hospital Renewal 2023

  
PRINCIPAL  
SMT. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA.



# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 07184-260629

Fax : 07184-260629

Email : srobhandara@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Sub-Regional Office,  
Tatya Tope Ward, Near City Petrol Pump,  
Mahal Road,  
Bhandara-441 904

## LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Segregation, Treatment, Disposal of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue  
SRO-BHANDARA/BMW\_AUTH/ 2102000619 Dated:- 23.02.2023.
- II. **M/s. Nakade Nursing Home** is hereby granted an authorization for generation of biomedical waste on the premises situated at A/p-Near Honda Showroom, Nagpur Road, Bhandara, Dist-Bhandara.
- III. This authorisation shall be in force for a period up to **31.12.2026**. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No. of Beds: **100**.

### Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
  2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
  3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.  
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste Management Rules, 2016 for collection, transportation, treatment and/or disposal of BMW generated.
  4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
  5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
1. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

  
PRINCIPAL  
SMT. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA.



Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	(a) Human Anatomical Waste	4	Yellow coloured non-chlorinated plastic bags	Bio medical waste shall be sent to common BMW Treatment & Disposal Facility Authorised by MPCB i.e. M/s Superb Hygienic Disposal, Nagpur (CBMWTSDF)
		(b) Animal Waste.	--		
		(c) Solid Waste	30		
		(d) Expired or Discarded Medicines :	8		
		(e) Chemical Solid Waste:	60	Separate collection system leading to effluent treatment system	
		(f) Chemical Liquid Waste:	60		
		(g) Discarded linen, Mattresses, Beddings Contaminated with blood or body fluid:	--	Yellow coloured non-chlorinated plastic bags or suitable packing material	
		(h) Microbiology, Biotechnology and other clinical laboratory waste:	1	Autoclave safe plastic bags or container	
2	Red	Contaminated Waste (Recyclable)	--	Red coloured non chlorinated plastic bags or container	
3	White (Translucent)	Waste Sharps including metals	--	Puncture proof leak proof, tamper proof container	
4	Blue	Glassware	--	Puncture proof & leak proof boxes or contains with blue coloured marking	
		Metal Body Implants	--	--	

2. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
- (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste Management Rules, 2016.
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours & till then it shall be stored in cold container.
- (vi) Necessary protective gear for the waste handlers shall be provided by the hospital Authority.
- (vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (Sphygmomanometers) other equipments used in health care facilities (HCF's) as well as its storage in accordance with the hazardous waste (Management & Handling) Rules (presently these Rules has to be read as 'Hazardous Waste (Management & Handling and Trans boundary Movement) Rules 2008) and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCF's.
- (viii) Authorized person shall obtain prior permission from MPCB for generation & disposal, if Bio-Medical waste quantity of category specified exceed the limits authorized at condition No 6 above.

10. **Standards for waste autoclaving:**

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
  - (i) A temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
  - (ii) A temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
  - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
  - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
  - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters.*- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing.* - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearothermophilus spores using vials or spore strips, with at least  $1 \times 10^4$  spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test.*—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more that one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

PRINCIPAL  
SMT. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA

11. Standards for deep burial:

1. A pit or trench should be dug about 2 meters deep. It should be half filled with waste, and then covered with lime within 50 cm of the surface, before filling the rest of the pit with soil.
  2. It must be ensured that animals do not have any access to burial sites. Covers of galvanized iron/woven meshes may be used.
  3. On each occasion, when wastes are added to the pit, a layer of 10 cm of soil shall be added to cover the wastes.
  4. Burial must be performed under close and dedicated supervision.
  5. The deep burial site should be relatively impermeable and no shallow well should be close to the site.
  6. The pits should be distant from habitation, and sited so as to ensure that no contamination occurs of any surface water or ground water. The area should not be prone to flooding or erosion.
  7. The location of the deep burial site will be authorized by the prescribed authority.
  8. The institution shall maintain a record of all pits for deep burial.
12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31<sup>st</sup> January every year including information about the categories and quantities of BMW handled during the preceding year.
13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.  
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
14. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on Behalf of the  
Maharashtra Pollution Control Board

(A. N. Katole)  
Sub-Regional Officer  
M.P.C. Board, Bhandara

To  
The applicant,  
DR. SHAMRAO ANANTRAM NAKADE,  
M/s. Nakade Nursing Home,  
A/p-Near Honda Showroom, Nagpur Road, Bhandara, Dist-Bhandara



Authorization Fees Received:-

Sr. No.	Amount (Rs.)	TXN No.	Date	Drawn on
1	3750/-	MPCB-DR-4157	02-02-2023	Bank of Maharashtra

Copy to: Regional Officer, MPCB, for information.

  
PRINCIPAL  
SMT. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA.



# NAKADE HOSPITAL

Near Honda Showroom, Nagpur Road, Bhandara - 441 904.

**Dr. S. A. Nakade**  
B.A.M.S.  
Family Physician  
Reg. No. I-4355

**Dr. Y. S. Nakade**  
M.B.B.S., D. Ortho.  
Ortho. Consultant  
Reg. No. 2002/04/1943

**Dr. P. Y. Nakade**  
B.A.M.S., M.S. (Ayu.)  
F.M.A.S., D.M.A.S. DipGo  
Prasuti & Striroga  
Reg. No. I-47476-A

**Hospital**  
Contact No.  
8975856859

**Dr. G. P. Kodape**  
M.B.B.S., M.S., F.M.A.S.  
(General & Laproscopic Surgeon)

Rx

Date : \_\_\_\_\_

## Description of Bed

S. No	Particulars	Beds
1	Maternity	30
2	Pediatric	10
3	Ortho	15
4	ICU	10
5	Medicine	15
6	Surgical	15
7	Casualty	05
Total		100

  
**Dr. Y. S. Nakade**  
Nakade Hospital  
Bhandara  
No 2002/04/1943

  
PRINCIPAL  
SMT. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA.



# NAKADE HOSPITAL

Near Honda Showroom, Nagpur Road, Bhandara - 441 904.

**Dr. S. A. Nakade**  
B.A.M.S.  
Family Physician  
Reg. No. I-4355

**Dr. Y. S. Nakade**  
M.B.B.S., D. Ortho.  
Ortho. Consultant  
Reg. No. 2002/04/1943

**Dr. P. Y. Nakade**  
B.A.M.S., M.S. (Ayu.)  
F.M.A.S., D.M.A.S. DipGo  
Prasuti & Striroga  
Reg. No. I-47476-A

**Hospital**  
Contact No.  
8975856859

**Dr. G. P. Kodape**  
M.B.B.S., M.S., F.M.A.S.  
(General & Laproscopic Surgeon)

Rx

Date: 12/3/25

## NAKADE HOSPITAL DOCTORS LIST

SR. NO.	DOCTORS NAME	SPECIALIST
1	Dr. PRIYANKA NAKADE	GYNOCOLOGIST
2	DR. YOGESH NAKADE	ORTHOPEDIC SURGEON
3	DR. GIRISH KODAPE	LAP. SURGEON
4	DR. NANOTKAR	PHYSICIAN SURGEON
5	DR. MUKESH THOTE	PHYSICIAN SURGEON
6	DR. VINAYAK RODGE	NEURO SEGEON
7	DR. SUHAS GAJBHIYE	PSYCOLOGIST
8	DR. ABHIJIT TANELWAR	ANSTHETIC
9	DR. YOGITA RODKE	ANSTHETIC
10	DR. TANAY SAKALKAR	ANSTHETIC
11	DR. PANVELKAR	ANSTHETIC



PRINCIPAL  
SMT. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA.

**Dr. Y. S. Nakade**  
M.B.B.S., D. Ortho.  
2002/04/1943  
Nakade Hospital, Bhandara



महाराष्ट्र MAHARASHTRA

2021

ZG 409279

Handwritten notes in Marathi: 'की ती लक्षात कमीक १०४५६', '१००', '४१९/२०२२'.

**Memorandum of Understanding (Psychiatric Hospital)**

Handwritten signature and date: '३० DEC २०२१', '३०/१२'.



This Memorandum of Understanding entered at Nagpur on this 6<sup>th</sup> Day of January 2022, between "Aasthaa Comprehensive Psychiatric Care Unit" and "Late Girishbhai Dayabhai Bhavsar Bahuuddeshiya Sanstha".

WHEREAS Dr. Pawan Adatia, the director of "Aasthaa Comprehensive Psychiatric Care Unit" Nagpur, shall grant **affiliation** to Smt. K. N. Patel College/School of Nursing run by Late Girishbhai Dayabhai Bhavsar Bahuuddeshiya Sanstha, Bhandara, for the clinical experience in Mental Health Nursing for the students of said nursing institute.

Handwritten signature.


Handwritten signature: P. Adatia


Handwritten signature and stamp: PRINCIPAL SMT. K. N. PATEL COLLEGE OF NURSING BHANDARA.


CANCELLED CANCELLED CANCELLED CANCELLED CANCELLED  
NOTARIAL NOTARIAL NOTARIAL NOTARIAL NOTARIAL

IN WITNESS WHEREOF, the parties hereto have set their hands on the day and year first hereinabove mentioned.

WITNESS:

1   
Ganesh Ramteke

  
Dr. Pawan Adatia  
Director, Aasthaa Comprehensive  
Psychiatric Care Unit, Nagpur

2   
Late Girishbhar Dayabhai Bhavsar

  
Secretary  
Late Girishbhar Dayabhai Bhavsar  
Bahu-Uddeshiya Sanstha, Bhandara

NOTARIAL REG.  
ENTRY NO. 24  
DATE: 06.01.2022


ATTESTATION OF AFFIDAVIT  
do solemnly affirm that this is my name  
and signature / Mark and that the  
contents of this affidavit are true

  
Signature of Deponent

  
Signature of Notary



Rajesh Y. Raut  
NOTARY  
Regd. No. 20287  
Sant Tukadoji Ward,  
Near LIC Office, Bhandara (M.S.)



PRINCIPAL  
SMT. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA.

# NAGPUR MUNICIPAL CORPORATION, NAGPUR

HEALTH DEPARTMENT



Public

Certificate of Registration under Section 5 of Bombay Nursing Home  
Registration Act, 1949 (Rule 5)

## Nursing Home Registration Certificate

This is to certify that Shri-Smt. Dr. Pawan N. Adatia (MBBS, DPM) has been registered  
under the Bombay Nursing Home Registration Act 1949 in respect of AASHAA  
(Comprehensive Psychiatric Care Unit) situated at Plot No. 160, Ayurvedic Layout,  
Behind Mukherjee Hospital, Bhande Plot, Umred Road, Nagpur and has been authorized  
to carry on the said nursing home.

Registration No. 859

Date of Registration 10.02.2011


Place Nagpur

Date of issue of certificate 01.03.2025

Maternity : 0

Other Nursing : 10

This certificate of registration shall be valid up to 31 Mar 2028.



  
D. S. Selokar  
Signature


Registering Authority  
Medical Officer of Health  
Nagpur Municipal Corporation

This Certificate of Registration should be displayed in prominent place  
Application for renewal should be done in advance in the month of January

  
PRINCIPAL  
S. K. N. PATEL  
COLLEGE OF NURSING  
BHANDARA.

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712-2560152  
Fax: 0712-2560851  
Website: <http://mpcb.gov.in>  
Email:  
sronagpur1@mpcb.gov.in




Udyog Bhavan , 6th floor ,  
Near Sales Tax Office, Civil  
Line , Nagpur - 440 001

ORANGE/S.S.I  
No:- Format1.0/SRO/UAN No.0000237988/CO/2505002432

Date: 16/05/2025

To,  
Aastha Comprehensive Psychiatric Care Unit  
Umred Road, Near Bhande Plot Square  
Sakkardara, Nagpur (M Corp.), Nagpur.  
Email: pnatatia@gmail.com  
Contact No.: 9822739766



*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000237988& BMW Auth No.
  2. BMW Authorization vide no. MPC/SRN-I/BMW/2108000077 dtd 03/08/2021.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-12-2021 To 31-12-2027**
2. HCF Area : - Plot Area 185.81 M<sup>2</sup> with Built-up area 157.94 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **16 Nos.** (As per BNH certificate no. 859 valid upto 31-03-2025)
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 2.2 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**5. Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	ICM	DISPOSAL
1		0	As per Actual	--NA--	0

**7. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**8. Conditions under BMW Management rules, 2016 (As Amended):-**


1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
- 9.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 10.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*[Handwritten signature]*



Signed by: Dhanashree Patil  
 Sub Regional Officer  
 For and on behalf of  
 Maharashtra Pollution Control Board  
 smr@mpcb.gov.in  
 2025-05-16 15:33:33 IST

**Received Consent/Authorization fee of -**

Sl.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	5000.00	TXN2502005580	25/02/2025	Online Payment
2	47342.00	TXN2503007028	28/03/2025	Online Payment
3	15000.00	TXN2503007181	28/03/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Nagpur for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

*[Handwritten signature]*  
 PRINCIPAL  
 SMT. K.N. PATEL  
 COLLEGE OF  
 BHANDARA.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.20
3.	Pathology Laboratory, Floor washing, Operation Theater	0.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Parameter quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/l except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

  
 PRINCIPAL  
 SMT. K.N. PATEL  
 OFFICE OF NIP  
 BHARUCHA

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

  
 PRINCIPAL  
 SMT. K. N. PATEL  
 COLLEGE OF NURSING

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	5.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	6.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	10,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
2	To provide Effluent treatment plant not provided / need up gradation	6 Months	50,000.00
<b>Total</b>			1,50,000.00

**Note:** You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

*Alice*  
 PRINCIPAL  
 SMT. K. N. PATEL  
 COLLEGE OF NURSING  
 BHANDARA.

**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

